



Develop national standard



**BEST CHOICE
FOR A WARM HOUSE**



NINGBO SINGFUN ELECTRIC APPLANCE CO.,LTD

ADD: FUHAI DEVELOP AREA, CIXI,ZHEJIANG,CHINA

TEL:+86-574-63682370

WEB: WWW.SINGFUN.COM



About Singfun

**SINGFUN HEATING EXPERTS
FOCUSING ON HEATING FOR 25 YEARS**

www.singfun.com

Located in Cixi, Ningbo, China. Singfun was established in 1993 with 63.8 million RMB of registered capital. Currently we have grown into a 250,000 square meters manufacturing facility employing over 2500 workers. Singfun has grown to be one of the largest manufacturers in our industry.

Singfun specialized in electric heaters and fans. We are ISO9001, ISO14001 and OHSAS18001 system approved. Our main customers are in America, Europe, Asia, Africa and Oceania, and we can apply GS/CE/CB/UL etc as requested.

Singfun has worked with the Chinese government to lead the development of National Standards in our industry. We believe in leading the industry through our professionalism. Our focus for more than 20 years has been product innovation and development.

ECO-FIN OIL FILLED RADIATOR

3D design fin to conduct heat more efficiently



CY95MM

3 heat setting



»» CONFORTABLE HEATING SOLUTION


Warm the whole house
No noise
No dry air

»» HUMANIZATION DESIGN IS TO UPGRADE THE COMFORT OF OPERATION

Castor for easy movement

»» ECO-FIN WITH BETTER HEATING EFFICIENCY

Compared to traditional straight fins designs, our third generation eco-fin use 3D design to conduct heat more efficiently



»» FOCUS ON SAFETY

Over heating protection
Safety tip over switch



WAVE FIN OIL FILLED RADIATOR

CYRA45

3 heat settings



»» CONFORTABLE HEATING SOLUTION

Warm the whole house
No noise
No dry air



»» HIGH QUALITY CONDUCTION OIL

More safety and long time use.



»» CONFORT WARMTH FOR YOUR SPACE

3 heat settings
Adjustable thermostat
With carry handle and castors for ease movement

»» FOCUS ON SAFETY

Over heating protection
Safety tip over switch

Keep You Warm



WAVE FIN OIL FILLED RADIATOR

CY71WW

3 heat settings



Keep You Warm

»» CONFORTABLE HEATING SOLUTION

Warm the whole house
No noise
No dry air



»» HIGH QUALITY CONDUCTION OIL

More safety and long time use.



»» CONFORT WARMTH FOR YOUR SPACE

3 heat settings
Adjustable thermostat
With carry handle and castors for ease movement
With 400W heating fan

»» FOCUS ON SAFETY

Over heating protection
Safety tip over switch



WAVE FIN OIL FILLED RADIATOR



CY83RR

3 heat settings



**Keep You
Warm**

»» CONFORTABLE HEATING SOLUTION

Warm the whole house
No noise
No dry air

»» With Carry Handle


High Quality Conduction Oil Better Safety
And longer Lasting!

»» HIGH QUALITY CONDUCTION OIL

More safety and long time use.

»» CONFORT WARMTH FOR YOUR SPACE

Digital control with LED display
3 heat settings
Digital room temperature setting
ECO function
24 hours timer



»» FOCUS ON SAFETY

Safety tip over switch
Over heating protection

»» Digital Control
Digital Room
Temperature setting



SLIM FIN OIL FILLED RADIATOR

CY86LL

3 heat settings



»» CONFORTABLE HEATING SOLUTION

Warm the whole house
No noise
No dry air

»» HIGH QUALITY CONDUCTION OIL

More safety and long time use.

»» CONFORT WARMTH FOR YOUR SPACE

3 heat settings
Adjustable thermostat
With carry handle and castors for ease movement



»» FOCUS ON SAFETY

Safety tip over switch
Over heating protection



Keep You Warm

CERAMIC TOWER HEATER

HN86PS-22R (DQ1806)

Power: 1200/2000/2200W

Product size: 300*300*848mm




**Keep You
Warm**

» POWERFUL CERAMIC HEAT

More safety and long use time



» WASHABLE DUST FILTER FOR HEALTH



» GOOD DESIGN WITH HIGHER BODY

The product height is convenient for manual operation
Larger heating element supply more heat airflow

» HUMANIZATION DESIGN IS TO UPGRADE THE COMFORT OF OPERATION

Room temperature setting from 5-35°C
24 hours turn on and turn off timer
Childlock
Screen extinguishing function for your sleep in night

» FOCUS ON SAFETY

Over heating protection
Safety tip over switch



CERAMIC HEATER



DQ1928-Y

2 heat settings/Oscillation

» POWERFUL CERAMIC HEAT
More safety and long use time

» FOCUS ON SAFETY
Over heating protection
Safety tip over switch

» CONFORT WARMTH
FOR YOUR SPACE

2 heat settings
Adjustable thermostat
Wide range oscillation
Easy to use control



Keep You
Warm



DQ1923-Y

2 heat settings



MINI CERAMIC HEATER

DQ1723

Personal Mini Ceramic Heater



»» PERFECT FOR SMALL SPACE

Small size for personal use



»» EASE OPERATION

One on / off power switch
Power indicator light

»» FOCUS ON SAFETY

Over heating protection
Safety tip over switch

»» POWERFUL CERAMIC HEAT

More safety and long use time



Keep You Warm

RADIANT HEATER

DF1511-A

Heating element: quartz tubes



» SUN-LIKE RADIANT HEAT
Quartz tubes heat with warm light

» FOCUS ON SAFETY
Over heating protection
Safety tip over switch

» CONFORT WARMTH FOR YOUR SPACE
2 heat settings
Adjustable thermostat
Fast and direct heat















Keep You Warm



Model number	CY88MM-12	CY95MM			CY55MM			CY81MM			CY82MM			CY83RR		
Picture																
Operation	Mechanical control	Mechanical control			Mechanical control			Mechanical control			Digital control			Digital control with LED display		
Heat setting	3 heat settings	3 heat settings			3 heat settings			3 heat settings			2 heat settings			3 heat settings		
Power	From 1000W to 2500W	From 1000W to 2500W			From 1000W to 2500W			From 1000W to 2500W			From 1000W to 2500W			From 1000W to 2500W		
Temperature setting	Adjustable thermostat	Adjustable thermostat			Adjustable thermostat			Adjustable thermostat			Digital room temperature setting			Digital room temperature setting		
Timing	/	/			/			/			24 hours timer			24 hours timer		
ECO	/	/			/			/			ECO function			ECO function		
Safety	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch		
Others	Power indicator light	Power indicator light			Power indicator light			Power indicator light			Power indicator light			Power indicator light		
	Hidden power cord case Tower hanger Rear cover for protection Castors can be folded	Optional towel hanger			Hidden power cord case			Power cord wrap			Power cord wrap			/		
Number of fins	12	7	9	11	7	9	11	7	9	11	7	9	11	7	9	11
Gift box meas.(MM)	660*205*820	445*165*720	520*165*720	595*165*720	445*165*720	520*165*720	595*165*720	445*165*720	520*165*720	595*165*720	445*165*720	520*165*720	595*165*720	435*165*730	510*165*730	585*165*730
Qty/Ctn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Container Qty 20/40/40HQ	265/550/636	526/1108/1296	464/944/1104	400/822/961	526/1108/1296	464/944/1104	400/822/961	526/1108/1296	464/944/1104	400/822/961	526/1108/1296	464/944/1104	400/822/961	526/1108/1296	464/944/1104	400/822/961
NW (KGS)	13.7	8.7	10.2	11.78	8.7	10.2	11.78	8.7	10.2	11.78	8.7	10.2	11.78	8.5	10	11.58
GW (KGS)	15.3	9.9	11.4	13.1	9.9	11.4	13.1	9.9	11.4	13.1	9.9	11.4	13.1	9.5	11.2	12.8






Model number	CY62RR			CY43SS			CY31RA			CYRK			CYRA45		CYRA55	
Picture																
Operation	Mechanical control			Digital control with LED display			Digital control with LED display			Mechanical control			Mechanical control			
Heat setting	3 heat settings			3 heat settings			3 heat settings			3 heat settings			3 heat settings			
Power	From 1000W to 2500W			From 1000W to 2500W			From 1000W to 2500W			From 1000W to 2500W			From 1000W to 2500W			
Temperature setting	Adjustable thermostat			Digital room temperature setting			Digital room temperature setting			Adjustable thermostat			Adjustable thermostat			
Timing	/			24 hours timer			9 hours timer			Optional 24 hours timer			/			
ECO	/			ECO function			ECO function			/			/			
Safety	Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			
Others	Power indicator light			Power indicator light			Power indicator light			Power indicator light			Power indicator light			
	/			Hidden power cord case			Power cord wrap			Power cord wrap Optional 400W heater fan			Power cord wrap			
Number of fins	7	9	11	7	9	11	7	9	11	7	9	11	7	9	11	
Gift box meas.(MM)	435*165*730	510*165*730	585*165*730	445*165*715	525*165*715	605*165*715	420*165*715	500*165*715	580*165*715	410*165*685	490*165*685	570*165*685	390*165*685	470*165*685	550*165*685	
Qty/Ctn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Container Qty 20/40/40HQ	526/1108/1296	464/944/1104	400/822/961	549/1137/1333	475/983/1153	424/848/1014	615/1230/1428	474/983/1152	409/847/993	632/1265/1513	529/1058/1266	455/910/1088	657/1338/1550	527/1110/1280	455/950/1100	
NW (KGS)	8.5	10	11.58	9.2	11.4	13.5	9.1	11.2	13.4	9.05	11.2	13.35	9.05	11.2	13.35	
GW (KGS)	9.5	11.2	12.8	10.2	12.5	14.7	10.1	12.3	14.5	10.05	12.3	14.45	10.05	12.3	14.45	








Model number	CY71WW			CYWE45			CYWE05	CYWE08	CYWE09	CYWE35
Picture										
Operation	Mechanical control			Mechanical control			Mechanical control			
Heat setting	3 heat settings			3 heat settings			3 heat settings			
Power	From 1000W to 2500W			From 1500W to 2500W			From 1000W to 2500W			
Temperature setting	Adjustable thermostat			Adjustable thermostat			Adjustable thermostat			
Timing	/			/			Optional 24 hours timer			
ECO	/			/			/			
Safety	Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			
Others	Power indicator light			Power indicator light			Power indicator light			
	Power cord wrap 400W heater fan			With back cover			Power cord wrap Optional 400W PTC ceramic heater			
Number of fins	7	9	11	7	9	11	7	9	11	
Gift box meas.(MM)	445*165*715	520*165*715	595*165*715	445*165*715	520*165*715	595*165*715	390*165*685	470*165*685	550*165*685	
Qty/Ctn	1	1	1	1	1	1	1	1	1	
Container Qty 20/40/40HQ	490/1021/1286	428/874/1100	380/763/960	490/1021/1286	428/874/1100	380/763/960	657/1338/1550	527/1110/1280	455/950/1100	
NW (KGS)	8.1	9.8	11.2	8.1	9.8	11.2	9.05	11.2	13.35	
GW (KGS)	9.2	10.85	12.1	9.2	10.85	12.1	10.05	12.3	14.45	

Model number	CY86LL			CY51BZ			CYBZ20	CY61BL	CYBL02	CYPB			
Picture													
Operation	Mechanical control			Mechanical control			Mechanical control	Mechanical control	Mechanical control	Mechanical control			
Heat setting	3 heat settings			3 heat settings			3 heat settings	3 heat settings	3 heat settings	1 heat settings			
Power	From 1000W to 2500W			From 1000W to 2500W			From 1000W to 2500W	From 1000W to 2500W	From 1000W to 2500W	From 500W to 1000W			
Temperature setting	Adjustable thermostat			Adjustable thermostat			Adjustable thermostat	Adjustable thermostat	Adjustable thermostat	Adjustable thermostat			
Timing	/			/			Optional 24 hours timer	/	/	/			
ECO	/			/			/	/	/	/			
Safety	Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection			
Others	Power indicator light			Power indicator light			Power indicator light	Power indicator light	Power indicator light	Power indicator light			
	Hidden power cord case			Hidden power cord case			Power cord wrap Optional turbo fan	Power cord wrap	Power cord wrap	/			
Number of fins	7	9	11	7	9	11	7	9	11	5	7	8	9
Gift box meas.(MM)	415*145*715	490*145*715	565*145*715	415*145*715	495*145*715	575*145*715	390*145*685	470*145*685	550*145*685	287*133*444	367*133*444	407*133*444	447*133*444
Qty/Ctn	1	1	1	1	1	1	1	1	1	1	1	1	1
Container Qty 20/40/40HQ	620/1255/1580	530/1058/1333	457/915/1152	672/1368/1600	565/1149/1345	486/989/1157	722/1522/1780	599/1263/1478	530/1080/1263	1651/3480/4070	1291/2722/3183	1165/2454/2870	1060/2234/2613
NW (KGS)	7.3	8.6	10.1	7.3	9.5	11.7	8.15	9.9	11.65	3.6	4.8	6	7.2
GW (KGS)	8.5	9.7	11.3	8.2	10.5	12.7	9.05	11	12.85	4.1	5.4	6.7	8

Model number	HN86PS-22R	HN412PS-20R	HN412PS-20	HN535PS-15R	HN535PS-15	QG-20DP5
Article number	DQ1806	DQ3317	DQ3318	DQ1535	DQ1534	DQ1019
Picture						
Heating element	PTC heating element	PTC heating element	PTC heating element	PTC heating element	PTC heating element	PTC heating element
Size	33 inches height	28.5 inches height	28.5 inches height	22 inches height	22 inches height	22 inches height
Operation	LED display with remote control	LED display with remote control	Mechanical control	LED display with remote control	Mechanical control	Mechanical control
Heat setting	2 heat settings	2 heat settings	2 heat settings	2 heat settings	2 heat settings	2 heat settings
Power	1200/2000W/2200W	1100W/2000W	1100W/2000W	1400W/2000W	1400W/2000W	1200W/2000W
Temperature setting	Digital room temperature setting Automatic room temperature sensor	Digital room temperature setting Automatic room temperature sensor	Adjustable thermostat	Digital room temperature setting Automatic room temperature sensor	Adjustable thermostat	Adjustable thermostat
Timing	turn on / turn off 24 hour timer	24 hour timer	/	7.5 hour timer	/	/
ECO	/	/	/	ECO function	/	/
Oscillation	Automatic oscillation	Automatic oscillation	Automatic oscillation	Automatic oscillation	Automatic oscillation	Oscillation
Safety	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch
Others	Power indicator light	Power indicator light	Power indicator light	Power indicator light	Power indicator light	Power indicator light
	With anti-dust filter Childlock screen extinguishing	With anti-dust filter	With anti-dust filter	/	/	With anti-dust filter
Gift box meas.(MM)	335*340*895	280*285*770	280*285*775	238*238*635	238*238*635	230*220*595
Outer Carton meas.(MM)	/	583*573*785	583*573*785	488*488*645	488*488*645	/
Qty/Ctn	1	4	4	4	4	1
Container Qty 20/40/40HQ	260/538/599	427/884/1037	427/884/1037	728/1508/1768	728/1508/1768	737/1528/1791
NW (KGS)	4.6	3.5	3.5	2.9	2.7	2.6
GW (KGS)	6	4.5	4.5	3.4	3.2	3.2






Model number	/	QG-15DP1	/	/	HN716PT-75/HN722PT-50	HN723PT-2.5
Article number	DQ1016	DQ1007	DQ1923-Y	DQ1928-Y	DQ1660/DQ1722	DQ1723
Picture						
Heating element	PTC heating element	PTC heating element	PTC heating element	PTC heating element	PTC heating element	PTC heating element
Operation	Mechanical control	Mechanical control	Mechanical control	Mechanical control	Mechanical control	Mechanical control
Heat setting	2 heat settings	2 heat settings	2 heat settings	2 heat settings	1 heat settings	1 heat settings
Power	1000W/1800W	1000W/1800W	1000W/1800W	1000W/1800W	750W/500W	250W
Temperature setting	Adjustable thermostat	Adjustable thermostat	Adjustable thermostat	Adjustable thermostat	/	/
Oscillation	/	/	/	Automatic oscillation	/	/
Safety	Safety over heating protection	Safety over heating protection	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch
Others	Power indicator light	Power indicator light	Power indicator light	Power indicator light	Power indicator light	Power indicator light
	Manual adjustable heating angle	Manual adjustable heating angle With big carry handle	/	/	/	/
Gift box meas.(MM)	267*253*325	293*148*285	208*178*275	205*175*270	158*109*169	135*88*174
Outer Carton meas.(MM)	780*555*345	595*305*580	428*368*565	425*365*560	320*222*179	273*268*180
Qty/Ctn	6	8	8	8	4	6
Container Qty 20/40/40HQ	1122/2328/2730	2128/4408/5168	2976/6176/7240	2512/5208/6112	9100/19164/23100	11820/24540/30906
NW (KGS)	1.8	1.75	1.4	1.5	0.63	0.46
GW (KGS)	2.2	2.05	1.6	1.7	0.75	0.54

Model number	HN419PB-20	HN43PB-20	HN519PB-20R	HN516PB-20R	HN11PB-20R
Article number	DQ3323	DQ3303	DNF-Y1	DQ1516	DQ1103
Picture					
Heating element	PTC heating element	PTC heating element	PTC heating element	PTC heating element	PTC heating element
Operation	Mechanical control	Mechanical control	Remote control	LED display with remote control	LED display with remote control
Heat setting	2 heat settings	2 heat settings	2 heat settings	2 heat settings	2 heat settings
Power	1400W/2000W	1400W/2000W	1200W/2000W	1200W/2000W	1200W/2000W
Temperature setting	Adjustable thermostat	Adjustable thermostat	/	/	Digital room temperature setting
Timing	/	/	8 hours timer	12 hours timer	15 hours timer
Oscillation	Adjustable heating angle	Adjustable heating angle	Automatic oscillation	Automatic oscillation	Automatic oscillation
Safety	Safety over heating protection	Safety over heating protection	Safety over heating protection	Safety over heating protection	Safety over heating protection
Others	Power indicator light	Power indicator light	Power indicator light	Power indicator light	Power indicator light
	IPX3	IPX3	Optional towel hanger IP23	Optional towel hanger IP23	IPX3
Gift box meas.(MM)	310*165*360	305*155*390	628*188*255	628*188*255	598*188*265
Outer Carton meas.(MM)	508*318*745	490*315*810	638*583*520	638*583*520	610*585*555
Qty/Ctn	6	6	6	6	6
Container Qty 20/40/40HQ	1856/3848/4520	1752/3624/4256	864/1794/2106	864/1794/2106	846/1752/2058
NW (KGS)	1.9	2	3.5	3.5	3.1
GW (KGS)	2.6	2.5	4	4	3.53

Model number	HN72RT-15	HN49RT-15	HN79RT-15	Model number	HF912QL-15R	HF911QL-15R	HF903QL-15R	/	
Article number	DQ2016	DQ2020	DQ1709	Article number	DF1912	DF1911	DF1903	DF1515	
Picture				Picture					
	Heating element	Resistance wire	Resistance wire		Resistance wire	6 quartz tubes	4 quartz tubes	2 quartz tubes	4 quartz tubes
	Operation	Mechanical control	Mechanical control		Mechanical control	Remote control	Remote control	Remote control	Remote control
	Heat setting	2 heat settings	2 heat settings		2 heat settings	3 heat settings	2 heat settings	2 heat settings	2 heat settings
Power	1300W/1500W	1300W/1500W	750W/1500W	Power	1500W	1500W	1500W	1500W	
Temperature setting	Adjustable thermostat	Adjustable thermostat	Adjustable thermostat	Structure	Cool-touch exterior wood cabinet With Flowtech Air Chamber System	Cool-touch exterior cabinet With Flowtech Air Chamber System	Cool-touch exterior wood cabinet With Flowtech Air Chamber System	Cool-touch exterior cabinet With Flowtech Air Chamber System	
Timing	/	/	/	Temperature setting	Digital room temperature setting(60,61...85°F) Automated temperature sensor	Digital room temperature setting(60,61...85°F) Automated temperature sensor	Digital room temperature setting(60,61...85°F) Automated temperature sensor	Digital room temperature setting(65,70,75,80,85°F) Automatic room temperature sensor	
Safety	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Timing	9 hours timer	9 hours timer	9 hours timer	/	
Others	with Power indicator light	with Power indicator light	with Power indicator light	ECO	With ECO function	With ECO function	With ECO function	With ECO function	
	Gift box meas.(MM)	260*185*365	265*190*375	253*174*410	Safety	Safety over heating protection	Safety over heating protection	Safety over heating protection Safety tip over switch	Safety over heating protection
Outer Carton meas.(MM)	/	/	/	Others	Power indicator light	Power indicator light	Power indicator light	Power indicator light	
Qty/Ctn	1	1	1	Gift box meas.(MM)	With power cord wrap	With power cord wrap	With power cord wrap	With power cord wrap	
Container Qty 20/40/40HQ	1530/2950/3715	1692/3380/3899	1551/3213/3767	Qty/Ctn	440*420*460	335*396*435	263*273*660	330*430*425	
NW (KGS)	2.2	2.4	2.2	Container Qty 20/40/40HQ	325/675/810	490/1050/1260	592/1224/1440	515/1073/1130	
GW (KGS)	2.5	2.7	2.55	NW (KGS)	8.23	4.77	6.8	6.6	
				GW (KGS)	9.33	5.9	7.9	7.85	

Model number	HF511QD-15A			HF68QT-8	/	/	Article number	DFS-950
Article number	DF1511			DF1608	DF1018	DF1015		
Picture								
Heating element	Quartz hater			Quartz hater	Halogen heater	Halogen heater	Heating element	Infrared heating wire
Size	/			/	14inch	14inch	Size	635*312*730
Operation	Mechanical control			Mechanical control	Mechanical control	Mechanical control	Operation	Digital control with remote control
Heat setting	2 heat settings			2 heat settings	2 heat settings	2 heat settings	Heat setting	2 heat setting
Power	750W1500W			400W/800W	400W/800W	400W/800W	Power	1500W
Temperature setting	/			/	Adjustable thermostat	Adjustable thermostat	Temperature setting	Variable thermostatic temperature adjustment keeps room at a consistent, comfortable level
Timing	/			/	120 minutes timer	60 minutes timer		
Oscillation	/			/	Automatic Oscillation	Automatic Oscillation		
Safety	Safety over heating protection Safety tip over switch			Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety	Over heat protection
Others	Power indicator light			/	/	/	Others	Flame brightness dimmer: 7 settings Realistic coal style glowing ember bed and flame effect 3-sided mesh grill fire and ember bed view design
	Heating radiant with turbo fan with caster wheels			/	/	/		
Gift box meas.(MM)	339*249*617MM			377*120*361	335*335*500	380*270*522		
Outer Carton meas.(MM)	/			388*493*372	/	/	Container Qty 40HQ	397
Qty/Ctn	1			4	1	1	NW (KGS)	10.2
Container Qty 20/40/40HQ	451/1000/1140			1472/3048/3680	498/1033/1211	522/1082/1269	GW (KGS)	12.5
NW (KGS)	2.65			1.6	1.8	1.9		
GW (KGS)	3.4			2.2	2.96	2.74		

Article number	DFI-8511	DFS-750	DFI-550	DFS-500	DFS-450	DFS-300
Picture						
Heating element	3 quartz tubes	Infrared heating wire	3 quartz tubes	Infrared heating wire	Infrared heating wire	Infrared heating wire
Size	533*267*609	635*321*671	533*319*681	432*243*561	413*290*500	330*370*208
Operation	Digital control with remote control	Mechanical control	Digital control with remote control	Mechanical control	Mechanical control	Mechanical control
Heat setting	2 heat setting	1 heat setting	1 heat setting	1 heat setting	1 heat setting	1 heat setting
Power	1500W	1500W	1500W	1500W	1500W	1500W
Temperature setting	/	Adjustable thermostat	Variable thermostatic temperature adjustment keeps room at a consistent, comfortable level	Adjustable thermostat	Adjustable thermostat	Adjustable thermostat
Safety	Over heat protection	Over heat protection	Over heat protection	Over heat protection	Over heat protection	Over heat protection
Others	Flame brightness dimmer: 7 settings	Flame brightness dimmer	Flame brightness dimmer: 5 settings	Flame brightness dimmer	Flame brightness dimmer	/
	Realistic coal style glowing ember bed and flame effect	Realistic coal style glowing ember bed and flame effect	Realistic coal style glowing ember bed and flame effect	Realistic coal style glowing ember bed and flame effect	Realistic coal style glowing ember bed and flame effect	Realistic coal style glowing ember bed and flame effect
	3-sided mesh grill fire and ember bed view design	/	/	/	/	/
Gift box meas.(MM)	580*320*575	695*380*660	579*319*568	490*300*568	450*330*555	390*260*421
Container Qty 40HQ	611	376	621	778	789	1506
NW (KGS)	10.2	11.4	10.2	6.8	6.7	5
GW (KGS)	12.3	13.6	12.2	8.3	8.1	5.9

Model number	HD525RC-10R	HD529RC-10R	HD533RC-10R	HD85RC-22	HD95RC-18
Article number	DF1525	DF1529	DF1533	DF1805	DF1905
Picture					
Heating element	Aluminum heating element	Aluminum heating element	Aluminum heating element	Aluminum heating element	Heating wire
Operation	Digital control with LED display	Digital control with LED display	Digital control with LED display	Mechanical control	Mechanical control
Heat setting	1 heat settings	1 heat settings	1 heat settings	2 heat settings	2 heat settings
Power	1000W	1000W	600W	1000W/2000W	1000W/2000W
Temperature setting	room temperature setting 5-36°C	room temperature setting 5-36°C	room temperature setting 5-36°C	Adjustable thermostat	/
Timing	24 hours timer	24 hours timer	24 hours timer	/	/
Safety	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch	Safety over heating protection Safety tip over switch
Others	Optional free standing or wall mounted	Optional free standing or wall mounted	Optional free standing or wall mounted	Optional free standing or wall mounted	free standing
	IP24	IP24	IP24	IPX4	IPX4
Gift box meas.(MM)	1360*143*290	815*140*490	655*140*490	855*155*635	715*145*525
Outer Carton meas.(MM)	/	/	/	/	/
Qty/Ctn	1	1	1	1	1
Container Qty 20/40/40HQ	520/1050/1206	506/1044/1212	614/1296/1512	330/740/840	544/1088/1280
NW (KGS)	6.6	6.64	5.85	7.5	3.95
GW (KGS)	7.76	7.8	6.86	8.5	4.95